Odour Guard User Guide

Please note Odour Guard is NOT sprayed into the air it is designed to be sprayed onto a surface.

Please read the MSDS supplied for product information and ensure all users are familiar with safety directions of the product.

Odour Guard is a specially formulated concentrate DO NOT DILUTE

When following these directions users should gain the most effective results from their product.

DO NOT APPLY TO FLOORS

Pedestal Toilets

Start with two squirts to rubber seal or on wall under tank.

Apply to first cubical and every second cubical after that.

Vary number of squirts to gain your required result.



Wall Mounted Urinals

Start with two squirts on wall above urinal.

Apply to first urinal and every second after that.

Vary number of squirts to your required result.



Copyright Applies: Property Of Di Haines Odour Guard

Floor Mounted Urinals

Start with two squirts at top of each end for urinals up to 1.500 long and a additional two squirts in the centre after that.

Larger urinals may require more depending on the results you require.



Wash Basins

Start with two squirts either on the top or under against the wall.

Vary number of squirts to gain required results.

Wash rooms are optional depending on the results you wish to gain.



Copyright Applies: Property of Di Haines Odour Guard.

Nursing Homes/Motels

Odour Guard is the once a day spray that has the unique ability to control odours and unwanted smells for up to 24 hours while using MINIMUM quantities. Never spray into the air, always spray onto a surface and vary the number of squirts to gain desired results. Remember with Odour Guard you adjust your usage one squirt at a time.

Odour Guard is used in various situations including patient's rooms for incontinence or palliative care problems, pan rooms, and general areas throughout facilities including reception areas for first impressions. Not only does it overcome unwanted odours but it also leaves a soft pleasant fragrance.

Start with one squirt to a discreet out of the way area generally on a wall just above the architrave to each end of the room. If the wall is tiled, spray onto the tiles at least 300mm above the floor.

Revert back to one squirt if necessary.

In foyers or entrances best results are usually gained by spraying on the wall closest to the entrance doors and/or at the base of counters.

Bathroom Areas – Start with one squirt either behind the pedestal or in the corner of the room spraying onto the tiles at least 300mm above the floor.

Copyright Applies: Property of Di Haines Odour Guard